

Roll Up Roll Up

| | |
|----------|--------------|
| Activity | Bouncy Clown |
|----------|--------------|

| Hazard | Frequency | Probability | Severity | Final Score | Controls |
|---|-----------|-------------|----------|-------------|---|
| Over enthusiastic participants | 4 | 1 | 3 | 12 | Experienced adult supervision at all times. |
| Jumping off front of unit | 4 | 1 | 3 | 12 | Safety mat placed in front of unit. |
| Larger participants colliding with smaller participants | 4 | 1 | 3 | 12 | Participants put into groups of similar sizes. Experienced adult supervision at all times. In event of large numbers of participants attending, additional safety barriers erected. |
| Tripping over anchorage points / cables | 2 | 1 | 1 | 2 | Whenever possible electrical cable does not cross any public pathway. If unavoidable cable erected overhead or covered. |
| Petrol blower / generator risk of fire or burning | 2 | 1 | 4 | 8 | Spare fuel stored in approved container and in a safe location. Unit switched off during refuel and allowed to cool. Suitable fire extinguisher. Safety cage placed around blower. |
| Risk from equipment mis use | 2 | 1 | 3 | 6 | All staff to have received training on this equipment |

| | | |
|---------------------------|--------|--------------------|
| Date of Assessment & sign | | |
| Review 1 & sign | 3/3/11 | <i>[Signature]</i> |
| Review 2 & sign | | |
| Review 3 & sign | | |

| Frequency | | Probability | | Severity | |
|-----------|---|---------------|---|----------|---|
| Frequent | 5 | Highly Likely | 4 | Major | 4 |
| Regular | 4 | Possible | 1 | Serious | 3 |
| Seldom | 2 | Unlikely | 0 | Minor | 1 |

| Score | Action |
|---------|--|
| <13 | No further action required |
| 13 - 47 | Significant risk - further action required |
| >47 | High risk - immediate action required |